



# Measuring Broadband New Zealand



## Report 23, March 2025

The Measuring Broadband New Zealand programme measures the quality of New Zealand's fixed line, fixed wireless, and satellite internet. The aim of the programme is to independently measure and report on the actual in-home broadband performance so consumers can assess different providers, plans, and technologies to help them choose the best broadband for their homes. It will also encourage providers to improve and compete on their performance.

Please refer to [page 11](#) for speed test results. The report also includes summary tables at the back that show the results for easy reference.

This report provides an overview of the findings from data collected between 1st January and 31st January 2025.

# Contents

Overview	4
Changes to the MBNZ Methodology	5
Executive Summary	6
Broadband Plan Comparison	7
<b>Quality of Service and Reliability.....</b>	<b>10</b>
Speed Tests - Download	11
Fibre Max Breakdown by RSP	13
Fibre 300 Breakdown by RSP	14
Spark Fixed Wireless Embedded Download Speeds	15
Distribution of Fibre Max Results	17
Distribution of Fibre 300 Results	18
Distribution of 4G Fixed Wireless Results	19
Distribution of Spark Embedded Fixed Wireless Results	20
Distribution of LEO Satellite Results	22
Speed Tests - Upload	23
Fibre Max Breakdown by RSP	25
Fibre 300 Breakdown by RSP	26
Spark Fixed Wireless Embedded Upload Speeds	27
Latency	28
Spark Fixed Wireless Embedded Latency	30
Latency Under Load	31
Disconnections	34
<b>Application Performance.....</b>	<b>37</b>
Netflix	37
Game Stores	41
Video Conferencing	44
YouTube	48
<b>Previous Report Comparisons.....</b>	<b>50</b>
ADSL Performance across Reports	51
VDSL Performance across Reports	51



4G Fixed Wireless Performance across Reports	52
LEO Satellite Performance across Reports	52
Fibre 300 Performance across Reports	53
Fibre Max Performance across Reports	53
<b>Appendix .....</b>	<b>54</b>
How we test	54
Our tests	55
Glossary	56
Summary Tables	57

## Overview

This report presents the key indicators of consumer internet performance in New Zealand from testing during January 2025.

### Highlights include:

1. Introduction of a new latency measurement across all plans.
2. Latency results for Spark Fixed Wireless embedded units reported for the first time.
3. Continued monitoring of Netflix and Video Conferencing performance, including results from Spark 5G Fixed Wireless.

This report draws on testing from a wide range of providers, and a full list of RSPs included in this MBNZ report can be found in Table 2. There are a range of other RSPs to choose from who are not currently included in the testing, and we encourage Kiwis to shop around. Previous reports released by the MBNZ programme can be found [here](#)<sup>1</sup>.

The MBNZ programme has a code of conduct to ensure that the parties involved act in good faith and in accordance with principles relating to data validation, ‘gaming’ of results, and appropriate public usage of the MBNZ results. A list of the signatories is included in the code, including the Commission and SamKnows. All tested RSPs complied with the current code of conduct, including validation of the data used in this report. You can see the code of conduct on our website [here](#).<sup>2</sup>

As the MBNZ programme has expanded significantly over the past few years, incorporating more technologies, plans and tests, we have taken steps to refine the report. To make the reports more focused, we have removed some charts that we believe are less impactful or less relevant for consumers. We value your feedback—if there is a chart or data point you found particularly useful and would like to see reinstated, please do not hesitate to reach out to us.

<sup>1</sup> <https://comcom.govt.nz/regulated-industries/telecommunications/monitoring-the-telecommunications-market/monitoring-new-zealands-broadband/Reports-from-Measuring-Broadband-New-Zealand>

<sup>2</sup> [https://comcom.govt.nz/\\_data/assets/pdf\\_file/0026/334871/Measuring-Broadband-NZ-Code-of-Conduct-October-2023.pdf](https://comcom.govt.nz/_data/assets/pdf_file/0026/334871/Measuring-Broadband-NZ-Code-of-Conduct-October-2023.pdf)

## Changes to the MBNZ Methodology

Ongoing collaboration with retail service providers and industry experts is essential to the success of the Measuring Broadband New Zealand programme. As we expand our sample and test fixed wireless connections, we have gained valuable insights into how some of our testing processes may impact service providers.

One key area is our continuous latency test, which provides data for the idle latency, disconnections, and latency under load charts. This test requires a continuous connection, but fixed wireless networks are designed to manage radio frequencies efficiently by reallocating resources from devices that are not actively in use. Industry feedback highlighted that our continuous testing was holding onto these frequencies, potentially affecting network capacity.

We have listened and are making changes. To reduce impact on networks, we are phasing out the permanent latency testing configuration for Fixed Wireless units. The latency results shown in Figure 15 on [page 28](#) are different from previous reports, using results from snapshots of hourly testing compared to continuous monitoring. This change allows us to continue reporting on network performance while minimising the impact on broadband services. Results for idle latency still using the continuous configuration, which can be compared to previous reports, can be seen in the latency under load chart on [page 31](#) in Figure 17.

In subsequent reports, we will no longer be running the continuous latency test for Fixed Wireless units. As a result of this, latency under load and disconnection results will not be available for Fixed Wireless units beyond this report. This change also allows us to include comparable latency results for embedded Fixed Wireless plans which uses an identical hourly testing methodology, and can be seen on [page 30](#) in Figure 16.

# Executive Summary

## Application Performance

1. 100% of Fibre 300, Fibre Max and HFC households were able to support at least 4 simultaneous UHD Netflix Streams during peak hours. 85% of LEO Satellite households were able to support 2 simultaneous streams on Starlink's Residential plan, and 51% on their Residential Lite plan.
2. Online game store results measure the time taken to download Hogwarts Legacy from three popular online game stores across plans. Fibre Max and HFC Max both achieved average download speeds to the three game stores capable of downloading a 79.5GB game in under 15 mins during peak hours while Fibre 300 took just under 40 minutes. LEO Satellite plans averaged around 1 hour, while Fibre 50 and VDSL averaged between 3 to 4 hours. ADSL plans had the worst performance, averaging over 17 hours.
3. Latency to video conferencing services remained consistent compared to the previous report.

## Benchmarking

1. All plans saw stable download, upload and latency results compared to the previous reporting month.

## Broadband Plan Comparison

This report includes broadband plans across a range of technologies and areas. The report shows performance comparison split across areas where Fibre broadband is available, and where Fibre is not an option. This comparison refines and expands our previous urban and rural view to better allow consumers to see how different technologies such as 4G Fixed Wireless perform in different areas. Areas with access to Fibre plans (Specified Fibre Areas) are the locations where Chorus can stop providing copper-based internet services (ADSL & VDSL plans) and are withdrawing these services because Fibre is available. These are typically in more urban areas of New Zealand. More information on the withdrawal of copper-based internet services is available on the Commerce Commission website [here](#)<sup>1</sup>.

**ADSL** - Remains suitable for traditional services like web browsing, email, and basic video streaming, particularly when there is only one person using the connection. Due to physical limitations, the highest-performing ADSL lines will never achieve download speeds higher than ~25 Mbps. The distance from house to exchange has a big effect on attainable speeds, with many ADSL lines averaging under 8 Mbps download. The higher latency, more frequent dropouts, and lower upload speeds make ADSL less suitable for video calls and multi-user households.

**VDSL** - There is a range in performance, some lines will achieve similar download/upload speeds to ADSL, whereas a small proportion of lines will achieve speeds comparable with Fibre 100, and certainly with lower speed Fibre plans. Lower speed lines will be less suitable for applications that use a lot of data, such as video conferencing and Ultra High Definition (UHD) streaming, whereas higher speed lines will generally support more data-heavy applications.

**Fibre 50** - Supports latency-sensitive applications such as online gaming. Fibre 50 will also support applications such as UHD streaming and video conferencing. Fibre 50 may be unsuitable for data-heavy households with multiple simultaneous users. From June 2025, Chorus will be upgrading download and upload speeds for Fibre 50 consumers at no extra cost, from 50Mbps download speed to 100Mbps, and 10Mbps upload to 20Mbps. These changes will be reflected in future MBNZ reports.

**Fibre 300** - Supports latency-sensitive applications such as online gaming. Fibre 300 will also support data-heavy applications such as UHD streaming with multiple simultaneous users or video conferences with a large number of participants. Fibre 300 will cover most users' requirements. From June 2025, Chorus will be upgrading download speeds for Fibre 300 consumers at no extra cost,

<sup>1</sup> <https://comcom.govt.nz/regulated-industries/telecommunications/regulated-services/consumer-protections-for-copper-withdrawal>

from 300Mbps download speed to 500Mbps. These changes will be reflected in future MBNZ reports.

**Fibre Max** - Higher download and upload speeds than Fibre 300. The idle latency to internet applications, such as online games, through a Fibre Max line is the same as through any other Fibre plan. Latency under load is lower for Fibre Max plans than for Fibre 300. Performance can vary depending on RSP, and Fibre 300 will support most modern internet applications and multi-user households. Fibre Max might be needed in cases where there is a genuine need for more bandwidth (e.g. frequently uploading or downloading large files) or when using extremely latency sensitive applications on a busy connection.

**HFC (Cable)** - Available in some areas (Wellington, Upper & Lower Hutt, the Kapiti Coast, and parts of Christchurch). HFC is also referred to as Cable and DOCSIS. One New Zealand is the only provider operating an HFC network in New Zealand. HFC lines achieve similar download performance to Fibre Max, and similar upload performance to Fibre 300. However, latency can be higher due to the difference between Cable and Fibre technologies.


**4G Fixed Wireless** - Can offer higher download speeds than ADSL, and on average similar speeds to VDSL. Users will experience higher latencies due to the cellular technology underlying these plans. 4G Fixed Wireless has the highest latency of all technologies, and also delivers lower download/upload speeds and more frequent dropouts than Fibre. Speeds also can be more variable depending on the time of day, and other environmental factors. This range of performance factors means 4G Fixed Wireless should not necessarily be preferred to Fibre on performance grounds, however in some areas 4G Fixed Wireless is the only option for consumers, and even in areas where Fibre is available there are other reasons consumers might choose this option (ease of installation for example).

**5G Fixed Wireless** - Supports data-heavy applications, such as UHD streaming with multiple simultaneous users. Being a Fixed Wireless technology, users will likely experience higher latencies due to the nature of cellular technology. Speeds also can be more variable depending on the time of day, and other environmental factors. The 5G Fixed Wireless results presented in this report are specific to Spark. As each RSP has different fixed wireless infrastructure, these results should not be directly compared between RSPs.

**LEO Satellite** - Available in both rural and urban areas and is transmitted wirelessly using a satellite and ground based satellite dish. Typically higher download speeds than a Fibre 100 plan, but this can vary with location. While speeds can be expected to handle most applications, including

video conferencing and streaming, it is not as consistent as fixed line broadband due to factors such as congestion and bad weather. Starlink is currently the only LEO Satellite provider included in the MBNZ report. Starlink also offer a Residential Lite service, which means that traffic is deprioritized over their Residential service during peak hours. Results for both the Residential (LEO Satellite) and Residential Lite (LEO Satellite (Lite)) plans are included in MBNZ.

**Other Broadband Plans** - There are other plans available that are not currently reported on by MBNZ. Fibre 30, 100 and 200 plans should be broadly consistent with results measured for Fibre 50, 300 and Fibre Max for latency and reliability metrics. The main differences for these lower speed Fibre plans would be lower download and upload speeds, meaning it would take longer to download and upload larger files, and they would be able to support fewer users at the same time when using video streaming services. For WISP Fixed Wireless plans it is not possible to give any firm advice around their suitability for different applications at this stage due to the variety of implementations and low sample size.



# Quality of Service & Reliability

In this section we report on the performance of a number of popular plans across New Zealand for quality of service metrics.

Some results in this section are shown with error bars representing the 95% confidence interval for each plan. This means that if we had repeated our measurements 100 times, we would expect the true result to fall within the black bands in at least 95 of the 100 cases. We have continued to include weighted results for Fibre 300 and Fibre Max plans.

The transparent bars show plans with a sample size lower than we would typically include within reporting. These plans have larger error bars due to the smaller sample size and care should be taken when comparing these plans against others. We recommend consumers factor in the error bars when comparing plan averages, especially those with smaller sample sizes.




## Speed Tests - Download

Figures 1 and 11 give an overview of download and upload speed across the country. These are included in every report to provide a benchmark that can be tracked over time. These results are split across Fibre areas, where Fibre is available to consumers and non-Fibre areas where Fibre is not available. There were not enough Whiteboxes to report ADSL, VDSL and 4G Fixed Wireless results in Fibre areas.

Peak hours are the times when people typically use the internet; in New Zealand this is 7pm to 11pm on Monday-Friday.

### Figure 1: Average Download Speeds by Plan

Average of monthly household weighted averages. Peak hours are Monday - Friday, 7pm - 11pm. The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 69). Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

## Key Observations

- ADSL and VDSL results are consistent with those seen in the previous report, showing similar results during peak hours.
- LEO Satellite results are broadly consistent with the previous report. Results for Starlink's Residential Lite plan<sup>1</sup> show a small decrease in speeds, particularly during peak hours compared to their Residential LEO Satellite service.
- LEO Satellite and 4G Fixed Wireless show a larger variation between peak hour download speeds and all hour download speeds compared to fixed line plans. This could be due to these technologies being more sensitive to congestion during peak hours. There was not enough sample in fibre areas for 4G Fixed Wireless to compare results between fibre areas and non-fibre areas.
- Fibre 50, Fibre 300 and Fibre Max results are also broadly similar to the previous report, with Fibre 300 seeing average speeds above 300 Mbps, including during peak hours. Fibre Max average download speeds are consistent with previous results. RSP specific results for Fibre Max and Fibre 300 can be found in Figures 2 and 3.
- Results for HFC are broadly consistent with the previous report.

<sup>1</sup> Starlink offer a Residential, and Residential Lite service (previously branded Standard and Deprioritized). Traffic for the Residential Lite service is deprioritized over the Residential service during peak hours. Results for both the Starlink Residential (LEO Satellite) and Starlink Residential Lite (LEO Satellite (Lite)) plans are included in MBNZ.

## Fibre Max Breakdown by RSP


Fibre Max plans are derived from 'gigabit' wholesale products. Since around 6% of the data in HTTP traffic is used up by protocol overhead (IP and TCP headers), the highest speed test result that can be achieved by a Fibre Max line is around 940 Mbps.

### Figure 2: Average Fibre Max Download Speed by RSP

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 138).

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

#### Key Observations

- For all RSPs, the results are broadly in line with those seen in the previous report, with One New Zealand showing a small increase in average download speeds, particularly during peak hours.
- There were not enough Fibre Max volunteers on Contact Energy, Electric Kiwi, Mercury, NOW NZ, PureLink, Voyager or WorldNet Services during the measurement period to report results for these RSPs. All tested RSPs are included in the overall Fibre Max results shown in Figure 1.

## Fibre 300 Breakdown by RSP


The speeds Fibre 300 is typically advertised to consumers are 300 Mbps download and 100 Mbps upload. In practice, since the provisioned speed is set slightly higher to allow for extra bandwidth used up by the network protocol overhead, it is quite common to see measured download speeds close to or slightly above 300 Mbps.

### Figure 3: Comparison of Average Fibre 300 Download Speeds across RSPs.

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 103)

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

#### Key Observations

- All RSPs tested previously continued to perform consistently in January, with all RSPs shown in the chart achieving average download speeds above 300 Mbps, including during peak hours.
- There were not enough volunteers on Contact Energy, Electric Kiwi, Inspire Net, NOW NZ, Sky New Zealand, Ultimate Broadband, Voyager or Wireless Nation to report results. All tested RSPs are included in the overall Fibre 300 results shown in Figure 1.

## Spark Fixed Wireless Embedded Download Speeds

This report includes results from embedded agent testing, with SamKnows (part of Cisco) embedding its software directly into the modems of customers of an RSP. The embedded agent uses the same methodology as the Whitebox. Any customer with a modem that has the embedded software can become part of an RSP's test population. More details on this testing can be found in the technical FAQs on the Commerce Commission's website [here](#).


Spark is the first RSP to submit results of embedded agent testing for inclusion in the MBNZ report. To do so, Spark randomly selected around 800 customers across their Everyday Wireless, Max Wireless, and Rural Wireless Broadband plans with Spark's latest Wireless Broadband modems (Spark Smart Modem 2 or a 5G Smart Modem), to be part of the sample group. We have ensured that this has resulted in a geographically representative sample of the plans being tested. The Spark modems with the embedded agent ran a comparable test schedule to the Whitebox agents used in the MBNZ project using the same off-net test servers, located in Auckland, Wellington, and Christchurch. The Spark 5G FWA sample has been reselected (and increased) for this report due to the number of eligible users being much higher and more geographically distributed than when it was first included.

### Figure 4: Average Download Speeds for Spark Fixed Wireless Plans.

Average of monthly household weighted averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of embedded agents contributing to each result is shown under each plan name (eg n = 308).

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

Average Download Speed (Mbps)

## Key Observations


- There is minimal difference in average download speeds between Spark 4G Everyday Wireless and Rural Wireless Broadband, with both plans seeing slightly lower download speeds during peak hours.
- The average download speeds across all 4G Fixed Wireless plans and RSPs in NZ is 59 Mbps during all hours, and 42 Mbps during peak hours. All average results for the Spark 4G plans measured are higher than the average download speed of all 4G Fixed Wireless results.
- There are a number of factors that influence Fixed Wireless broadband performance including distance, and number of customers connected to the nearest cell tower. During peak hours, the number of customers connected to a cell tower in an urban area can be much higher than in a rural area, which could be one explanation for higher average peak hour speeds in rural areas.
- The average download speed measured for Spark's Max Wireless 5G Plan was 352 Mbps during all hours, and 332 Mbps during peak hours. This is a decrease in over 20 Mbps compared to Report 22, but broadly in line with results seen in Report 21.

## Distribution of Fibre Max Results

### Figure 5: Download Speeds on Fibre Max Plans.

Distribution of test results across 389 Fibre Max households

Average (24/7) download speeds for Fibre Max plans is 879 Mbps; this varies by RSP and over time.



MBNZ Report 23, March 2025

#### Key Observations


- 82% of speed tests run over Fibre Max lines achieved download speeds above 900 Mbps during non-peak hours, compared to 79% during peak hours.

## Distribution of Fibre 300 Results

### Figure 6: Download Speeds on Fibre 300 Plans.

Distribution of test results across 338 Fibre 300 households

Average (24/7) download speeds for Fibre 300 plans is 314 Mbps; this varies by RSP and over time.



MBNZ Report 23, March 2025

#### Key Observations


- 86% of speed tests run over Fibre 300 lines achieved download speeds above 300 Mbps during non-peak hours, compared to 85% during peak hours.



# Distribution of 4G Fixed Wireless Results

**Figure 7: Download Speeds on 4G Fixed Wireless Plans.**

Distribution of test results. Average (24/7) download speeds for 4G Fixed Wireless plans is 60 Mbps in non-Fibre areas and 59 Mbps across all areas; this varies by RSP and over time.



MBNZ Report 23, March 2025


## Key Observations

- 25% of speed tests run over Fixed Wireless lines achieve download speeds of less than 25 Mbps in non-Fibre areas during non-peak hours, compared to 43% during peak hours.

## Distribution of Spark Embedded Fixed Wireless Results

**Figure 8: Download Speeds on Spark Embedded 4G Fixed Wireless Plans.**

*Distribution of test results.*




MBNZ Report 23, March 2025

### Key Observations

- During non-peak hours, 36% of download tests for both Everyday Wireless and Rural Wireless Broadband achieved speeds above 100 Mbps. During peak hours, the percentage of tests over 100 Mbps for Everyday Wireless fell to 22%, and Rural Wireless Broadband also saw the percentage fall to 24%.
- For both plans, the percentage of tests below 25 Mbps increased during peak hours compared to non-peak hours. For Everyday Wireless plans, the percentage rose from 15% to 26%, and for Rural Wireless plans, it also increased from 18% to 27%.
- During non-peak hours, both plans had 9% of tests achieve speeds over 200 Mbps. However, during peak hours, the percentage of tests fell to just 4% for Everyday Wireless, and 5% for Rural Wireless.

**Figure 9: Download Speeds on Spark Embedded 5G Fixed Wireless Plan.**

*Distribution of download test results.*



MBNZ Report 23, March 2025


## Key Observations

- The distribution of download tests for Spark 5G Max Wireless was broadly similar during peak hours compared to non-peak hours.
- During non-peak hours, 12% of tests resulted in download speeds below 100 Mbps, while during peak hours this figure rose to 14%.
- 63% of tests run during non-peak hours achieved download speeds above 300 Mbps. This decreased slightly to 58% during peak hours.
- During non-Peak hours, 18% of all embedded download speed tests run on Max Wireless plans achieved speeds greater than 500 Mbps.

## Distribution of LEO Satellite Results

**Figure 10: Download Speeds on LEO Satellite Plans.**

Distribution of test results across LEO Satellite households. Average (24/7) download speeds for LEO Satellite plans average 217 Mbps in non-Fibre areas on Starlink's Residential plan and 196 Mbps on their Residential Lite plan; this varies over time.



MBNZ Report 23, March 2025

### Key Observations


- Only 3% of speed tests run over Starlink's Residential plan achieved download speeds of less than 50 Mbps, compared to 4% for Starlink's Lite plan. During peak hours, this increased to 4% for the Residential plan, and 12% for the Residential Lite plan.
- During non-peak hours, 22% of download speed tests for the Residential plan reached speeds of 300 Mbps or higher, compared to 16% for the Residential Lite plan.

## Speed Tests - Upload

Upload speeds should be considered alongside download speeds. The main applications where the impact of upload speed is apparent are file transfers and video conferencing. For example, a lower upload speed will mean that it takes longer for files to sync or email attachments to be applied.

### Figure 11: Average Upload Speeds by Plan

Average (24/7) of monthly household weighted averages. Peak hours are Monday - Friday, 7pm - 11pm. The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 69). Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

### Key Observations

- The average upload speeds are broadly consistent with those seen in the previous report.
- Average upload speeds for Fibre 50 are not included in this report due to different upload allocations across local fibre companies. There were not enough Whiteboxes on Fibre 50 to split upload results by local fibre company.


## Fibre Max Breakdown by RSP

### Figure 12: Average Fibre Max Upload Speed by RSP

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 138).

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

#### Key Observations

- All RSPs achieved average upload results above 490 Mbps, with One New Zealand, Sky New Zealand and Spark achieving average speeds above 500 Mbps.
- Upload speeds were consistent during peak hours, with all RSPs only showing the same or a very small decrease in speed compared to their all hours result.
- There were not enough Fibre Max volunteers on Contact Energy, Electric Kiwi, Mercury, NOW NZ, PureLink, Voyager or WorldNet Services during the measurement period to report results for these RSPs. All tested RSPs are included in the overall Fibre Max results shown in Figure 11.


## Fibre 300 Breakdown by RSP

### Figure 13: Comparison of Average Fibre 300 Upload Speeds across RSPs.

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 103)

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

#### Key Observations

- All RSPs achieved average upload results above 100 Mbps.
- Upload speeds were consistent during peak hours, with no noticeable drop compared to average upload speeds across all hours.
- There were not enough volunteers on Contact Energy, Electric Kiwi, Inspire Net, NOW NZ, Sky New Zealand, Ultimate Broadband, Voyager or Wireless Nation to report results. All tested RSPs are included in the overall Fibre 300 results shown in Figure 1.



## Spark Fixed Wireless Embedded Upload Speeds


The results below are for some of Spark's 4G Fixed Wireless and 5G Fixed Wireless plans. More information on Spark's embedded testing can be found on [page 15](#).

### Figure 14: Average Upload Speeds for Spark Fixed Wireless Plans.

Average of monthly household weighted averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of embedded agents contributing to each result is shown under each plan name (eg n = 308).

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

#### Key Observations

- There is minimal difference in average upload speeds between Spark 4G Everyday Wireless and Rural Wireless Broadband, with both plans seeing no noticeable decrease in upload speeds during peak hours.
- The average upload speed measured for Spark's Max Wireless 5G Plan was 50 Mbps during all hours, showing no noticeable decrease during peak hours.

## Latency

Latency is another key factor that should be considered when assessing broadband performance. The time it takes to transmit and receive messages between households and servers limits the responsiveness of realtime applications such as interactive webpages or video calls. Higher baseline latency makes realtime applications more vulnerable to jitter (also known as packet delay variation) and dropouts. Figure 15 only includes results relating to servers hosted in New Zealand.

The latency results shown below are different from previous reports, using results from snapshots of hourly testing compared to continuous monitoring. More information on this change can be found above on [page 5](#). This change also allows us to include comparable latency results for embedded Fixed Wireless plans, which uses an identical hourly testing methodology, and can be seen on [page 30](#) in Figure 16.

Results for idle latency still using the continuous configuration, which can be compared to previous reports, can be seen in the latency under load chart on [page 31](#) in Figure 17.


Some plans show a wider variation of latency than others: latency across a Fixed Wireless connection will generally be more variable than over a Fibre line.

## Figure 15: Average Latency to Test Servers by Plan. Lower is Better.

Average of monthly household weighted averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 69).

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

### Key Observations

- Idle latency over Fixed Wireless is higher than over Copper (ADSL, VDSL), Cable (HFC), or Fibre (Fibre 50, Fibre 300, Fibre Max). Fibre is faster due to both the lower latency over Fibre optics and the more modern infrastructure that underpins the Fibre network.

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

## Spark Fixed Wireless Embedded Latency


The results below are for some of Spark's 4G Fixed Wireless and 5G Fixed Wireless plans. More information on Spark's embedded testing can be found on [page 15](#).

### Figure 16: Average Latency to Test Servers for Spark Fixed Wireless Plans. Lower is Better

Average of monthly household weighted averages. Peak hours are Monday - Friday, 7pm - 11pm.

The number of embedded agents contributing to each result is shown under each plan name (eg n = 308).

Error bars show 95% confidence intervals of the mean.



MBNZ Report 23, March 2025

#### Key Observations

- This report marks the first time latency results are included for Spark Fixed Wireless plans.
- Average latency across all 4G Fixed Wireless plans and RSPs in NZ is 49 ms during all hours. Average results for the Spark 4G plans measured are in line with the average latency we see for all RSPs.
- There is no noticeable difference in latency results between Spark's 4G and 5G Fixed Wireless plans.

## Latency Under Load

The latency under load test measures the latency when the broadband connection is heavily utilised (by the way of a speed test run in parallel). This is more representative of user experience than idle latency as it shows the impact of downloading or uploading data to the internet (e.g. watching Netflix or uploading a file) on latency (e.g. how long a webpage takes to load). The results are particularly illustrative of real-world experience for people who are using latency-sensitive applications like video conferencing or some video games.


The graph shows latency values while the connection is idle, compared with latency values while the connection under either downstream or upstream load. The latency under load test is performed while the download (or upload) speed tests are running, and this is compared to the idle latency measurement which is calculated when the line is idle. Differences in access technology and router models will result in different results for the user.

It is expected that the router model will be a factor in any latency rise, as the test is measuring what is known as bufferbloat, which is where the router or other network devices on the path are buffering large amounts of data. As such, differences in technology and router models will result in different results for the user.

The idle latency results presented in this chart are based on the continuous measurement data used in all prior reports. While they may appear similar, these results should not be directly compared to the idle latency figures in Figures 15 or 16, as they employ a different testing frequency and methodology. In future reports, we will be no longer collecting continuous latency and latency under load results for Fixed Wireless plans.

**Figure 17: Average Latency Under Load to Test Servers by Plan.**  
**Lower is Better.**

Averages of monthly household averages. The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 69).



MBNZ Report 23, March 2025

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

## Key Observations

- All plans see latency increase when the line is running upload or download tests compared to when the line is idle. ADSL plans see a large increase in latency under load while both download and upload tests are running. VDSL shows a high latency when upload tests are running. These latency values are high enough to be noticeable to the user if multiple devices are used simultaneously, with one device heavily using the connection.
- Average latency under upload results for Fibre 50 are not included in this report due to different upload allocations across local fibre companies. There were not enough Whiteboxes on Fibre 50 to split upload results by local fibre company.
- Latency under downstream and upstream load is higher for the Fibre 300 plan compared to Fibre Max results. Fibre Max plans have lower latency results for latency under downstream and upstream load than HFC.
- LEO Satellite plans see a small increase in latency under load when download tests are running. Latency under upload shows a smaller increase on idle latency for satellite plans. While idle latency for satellite is higher than Copper (ADSL and VDSL), latency under downstream load is significantly lower for LEO Satellite than ADSL, and latency under upstream load is also lower for LEO Satellite than both ADSL and VDSL.

Realtime applications like video calls rely on a consistent connection between the home router and the target server. If the connection drops, even for a few seconds, the application will exhibit some form of stuttering. In the worst instance, a user might be disconnected and have to reconnect or wait for their broadband connection to come back online.

A brief disconnection very rarely means that, for example, a physical cable has been cut. Instead, the main reasons for network dropouts relate to congestion and the configuration of network equipment. The following graph compares daily disconnection rates across plans.

This graph shows medians across households. Taking VDSL as an example, 50% of households will experience no more than 1.7 disconnections per day for traffic remaining within New Zealand. This obscures the extremes of performance for each plan. While the median ADSL and Fixed Wireless results are comparable, ADSL connections are more likely than others to have disconnection rates far above the median, whereas Fixed Wireless plans are more likely to have results close to the median. This is the last report with disconnection results for Fixed Wireless plans as we are removing the continuous latency measurement. More information on this change can be found above on [page 5](#).


Many common applications, such as video conferencing applications or online gaming used by New Zealanders are served from overseas, mainly Australia, East Asia, and the USA. All New Zealand RSPs share capacity through four undersea cable networks which carry traffic to and from New Zealand across the Tasman Sea and the Pacific.



## Figure 18: Median Daily Disconnection Rates. Lower is Better.

Medians of household daily rates. Disconnections greater than 30 seconds.

Testing only covers periods where the line is idle.



MBNZ Report 23, March 2025


Disconnection Rate (per day)

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes in non-Fibre areas. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

## Key Observations

- This report maintains the updated methodology introduced in the previous MBNZ report for categorising noticeable disconnections. Previous MBNZ reporting on disconnections defined a disconnection as two or more packets failing to complete a full round trip in a row. This meant previous reporting included many brief disconnections which consumers were probably unlikely to notice. This chart continues to categorise a disconnection as lasting longer than 30 seconds. This change aims to provide more consumer-relevant data as disconnections reported here are likely to be more noticeable to consumers. Most households now see a very low rate of noticeable disconnections, at least while the line is idle.
- There is a very low median rate of disconnection across Fibre plans. This rises slightly for HFC, and VDSL.
- Median disconnections for LEO Satellite plans are 0.4 to servers across New Zealand. This means that 50% of households will experience no more than 0.4 disconnections per day lasting over 30 seconds.
- Traffic going overseas is more likely to be lost than traffic remaining within New Zealand.



# Application Performance

In this section we report on the performance of a number of common applications that consumers in New Zealand use on a regular basis.

Some results in this section are shown with error bars representing the 95% confidence interval for each plan. The transparent bars show plans with a sample size lower than we would typically include within reporting. These plans have larger error bars due to the smaller sample size and care should be taken when comparing these plans against others. We recommend consumers factor in the error bars when comparing plan averages, especially those with smaller sample sizes.

























































## Netflix

Video streaming is a good example of an application where the quality of a user's experience is more affected by bandwidth (capacity) than by latency (lag). The Netflix measurement streams real video from the live Netflix service <sup>1</sup>. Traffic for this service is often delivered from within broadband provider's network to improve performance. The transparent screens show plans with a sample size lower than we would typically include within reporting.

<sup>1</sup> This test runs on an idle connection, results may be affected with simultaneous usage. HD is measured at 3 Mbps, and UHD at 15 Mbps in accordance with Netflix guidelines.

**Figure 19:**

**% that can Reliably Stream HD & UHD Videos from Netflix during Peak Hours.**

Plan					
<b>4G Fixed Wireless</b> All Areas, n = 41	 54%	 32%	 15%	 2%	0-1 simultaneous UHD video streams
	 100%	 85%	 68%	 61%	4+ simultaneous HD video streams
<b>ADSL<sup>1</sup></b> Non-Fibre Areas, n = 27	 15%	 0%	 0%	 0%	0 simultaneous UHD video streams
	 89%	 74%	 48%	 41%	1-2 simultaneous HD video streams
<b>VDSL</b> Non-Fibre Areas, n = 34	 91%	 53%	 41%	 26%	1-2 simultaneous UHD video streams
	 100%	 100%	 97%	 94%	4+ simultaneous HD video streams
<b>4G Fixed Wireless</b> Non-Fibre Areas, n = 32	 56%	 31%	 16%	 3%	0-1 simultaneous UHD video streams
	 100%	 88%	 66%	 59%	4+ simultaneous HD video streams
<b>LEO Satellite</b> Non-Fibre Areas, n = 80	 99%	 85%	 11%	 0%	1-2 simultaneous UHD video streams
<b>LEO Satellite (Lite)</b> Non-Fibre Areas, n = 53	 100%	 51%	 2%	 0%	1-2 simultaneous UHD video streams
<b>Fibre 50</b> Fibre Areas, n = 32	 100%	 100%	 94%	 0%	2-3 simultaneous UHD video streams
<b>Fibre 300</b> Fibre Areas, n = 334	 100%	 100%	 100%	 100%	4+ simultaneous UHD video streams
<b>Fibre Max</b> Fibre Areas, n = 394	 100%	 100%	 100%	 100%	4+ simultaneous UHD video streams
<b>HFC<sup>2</sup></b> Fibre Areas, n = 24	 100%	 100%	 100%	 100%	4+ simultaneous UHD video streams


MBNZ Report 23, March 2025

<sup>2</sup> Results for HFC are based on a sample size of Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

### Key Observations

- During peak hours, 85% of LEO Satellite households on Starlink's Residential plan were able to stream 2 simultaneous UHD Netflix streams, compared to 51% on the Residential Lite plan.
- 94% of households on Fibre 50 were able to stream 3 simultaneous UHD Netflix streams. No households on Fibre 50 achieved download speeds high enough to support 4 simultaneous UHD streams.
- 100% of households on Fibre 300, Fibre Max or HFC plans had an average download speed able to support 4 simultaneous UHD Netflix streams.
- 53% of households on VDSL plans in non-Fibre areas were able to support 2 UHD streams, and 94% could support 4 simultaneous HD streams.
- For ADSL households in non-Fibre areas, 74% could support 2 simultaneous HD streams during peak hours.

Spark embedded results continue to mark the first insight into application performance for 5G Fixed Wireless technology within the MBNZ programme. Given that each RSP has different fixed wireless infrastructure, these results should not be directly compared across RSPs.



MBNZ Report 23, March 2025

**Key Observations**

- During peak hours, 89% of Spark units were able to support 4 simultaneous UHD Netflix streams.

## Game Stores

Modern console games are delivered from online stores such as Steam, Xbox Live and Playstation Network. These games can be tens or even hundreds of gigabytes so achieving high throughput from these stores is important to gamers. The game store measurement downloads a portion of a real game from three different game stores<sup>1</sup>. Results will depend on the content distribution networks (CDNs) that host the games, and can vary depending on your RSP and where the CDNs are located.

---


<sup>1</sup> This test runs on an idle connection, results may be affected with simultaneous usage.

**Figure 21: Average Time Taken to Download Hogwarts Legacy by Plan during Peak Hours.**

Average time taken to download a file of 79.5 GB.

Average of household average download speed, lower is better.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 27).



MBNZ Report 23, March 2025

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.



## Key Observations

- Results for all plans in this chart remain broadly consistent with those in the previous report.
- The average time taken to download Hogwarts Legacy was over 17 hours for ADSL plans across all game store providers. For VDSL and Fibre 50 this average was between 3 to 4 hours.
- LEO Satellite plans had average download speeds capable of downloading Hogwarts Legacy in around 1 hour across both Starlink's Residential and Residential Lite plan.
- Fibre 300 had average download speeds capable of downloading Hogwarts Legacy in 40 minutes or less across all tested game store providers. For Fibre Max and HFC Max, the download time was 15 minutes or less.
- Results for 4G Fixed Wireless are not included due to the data usage volumes used to run the test.


## Video Conferencing

Latency is not the only factor impacting on the quality of a video call. Packet loss and jitter can result in stuttering and dropouts, and these are not captured in the round-trip times measured here. Application specific attributes such as audio/video encoding and proprietary communication protocols can lead to different performance characteristics for different services.

### Figure 22: The Latency to Servers of Different Video Conferencing Services.

Results are using free accounts only.

Average of household average latency, lower is better. Fibre plans only.



MBNZ Report 23, March 2025

#### Key Observations


- Latency values for all video conferencing services remained consistent for Fibre plans compared to the previous report.
- Video conferencing services that use international servers usually see similar performance, however as the traffic is travelling further and subject to international routing, this could account for small differences in consumer experience like users talking over one another more frequently when using these unpaid services.
- The latency results above are shown for Fibre plans only. Results for video conferencing split by individual plans can be seen in the figure below, and results for all RSPs can be seen in Table 5.

## Figure 23: The Latency to Servers of Different Video Conferencing Services by Plan.

Fibre Areas only. Results are using free accounts only.

Average of household average latency, lower is better.

The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 32).



MBNZ Report 23, March 2025

Latency (ms)


<sup>1</sup>Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

**Figure 24: The Latency to Servers of Different Video Conferencing Services by Plan.**

*Fibre Areas only. Results are using free accounts only.*

*Average of household average latency, lower is better.*

*The number of Whiteboxes contributing to each result is shown under each plan name (eg n = 27).*




MBNZ Report 23, March 2025

<sup>1</sup> Results for ADSL are based on a sample size of 27 Whiteboxes. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

Spark embedded results continue to mark the first insight into application performance for 5G fixed wireless technology within the MBNZ programme. Given that each RSP has different fixed wireless infrastructure, these results should not be directly compared across RSPs.

**Figure 25: The Latency to Servers of Different Video Conferencing Services for Spark’s 5G Fixed Wireless plan.**

*Results are using free accounts only.  
Average of household average latency, lower is better.*



MBNZ Report 23, March 2025


**Key Observations**

- Results for video conferencing are broadly consistent with the previous report.

## YouTube

The YouTube measurement streams a real video from the live YouTube service<sup>4</sup>. Traffic for this service is often delivered from within the broadband provider's networks, through the use of Google Global Caches (GGCs). These are servers installed by the broadband provider inside their network to cache YouTube and other Google content to improve performance.

**Figure 26: Highest Quality that can be streamed over YouTube by Plan during Peak Hours**



MBNZ Report 23, March 2025

<sup>1</sup> Results for ADSL are based on a sample size of 23 Whiteboxes in Fibre areas. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>2</sup> Results for VDSL are based on a sample size of 29 Whiteboxes in Fibre areas. The low sample size can be attributed to volunteer numbers falling as consumers move away from copper services.

<sup>3</sup> Results for HFC are based on a sample size of 24 Whiteboxes. The low sample size can be attributed to the relatively small coverage area of One New Zealand's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

<sup>4</sup> This test runs on an idle connection, results may be affected with simultaneous usage.

### Key Observations

- Results for YouTube tests are included up until 21st January. This is due to configuration changes made by YouTube towards the end of January.
- 42% of VDSL households in non-Fibre areas were able to stream a UHD YouTube video, compared to just 5% of ADSL households.
- 98% of Starlink Residential LEO Satellite households, and 91% on the Residential Lite service were able to stream a UHD YouTube video.
- 100% of Fibre 300, Fibre Max and HFC households in Fibre areas were able to stream a UHD YouTube video, while 99% of Fibre 50 households achieved the same.



# Previous Report Comparison

The following charts compare results from previous MBNZ reports across the past year for popular plans in New Zealand for quality of service speed metrics (download and upload). ADSL, VDSL, Fibre 300 and Fibre Max plans have all seen consistent performance across reports. 4G Fixed Wireless and LEO Satellite plans have seen increases in average download speeds across the past year, with consistent upload performance.


Due to the new latency methodology detailed on [page 5](#), the latency comparison charts from this section have been removed. This methodology change means the latency results from Report 23 are not directly comparable with those from previous reports.

**Table 1: Previous MBNZ Reports**


MBNZ Report	Measurement Month	Publication Month
Report 20	April 2024	July 2024
Report 21	July 2024	September 2024
Report 22	October 2024	December 2024
Report 23	January 2025	March 2025




## ADSL Performance across Reports




## VDSL Performance across Reports




## 4G Fixed Wireless Performance across Reports




## LEO Satellite Performance across Reports



## Fibre 300 Performance across Reports



## Fibre Max Performance across Reports



## How we test



### Measuring home broadband across New Zealand

- The SamKnows Whitebox is a purpose-built testing agent that connects to your router.
- It runs regular, automated performance tests to record the quality and performance of your internet connection without interfering with your network.
- The Whitebox does not record any personal information or browsing history.

### Join the MBNZ Programme!

We are always on the hunt for more volunteers to help us expand on the technologies reported on in the MBNZ programme. Joining our awesome volunteer network enables us to gather even more data so we can continue shining a light on different technologies, RSPs and regions in New Zealand! Sign up at the [following link](https://www.measuringbroadbandnewzealand.com/sign-up)<sup>1</sup>, and if you're already a volunteer, encourage your friends and family to join too!

- Have 24/7 access to your own data.
- View all your data in one place via the SamKnows One platform.
- Create customised charts and save the results that mean the most to you.
- Track changes in your connection over time.

<sup>1</sup> <https://www.measuringbroadbandnewzealand.com/sign-up>

## Our tests

	Test	Definition
	Download	The speed at which data can be transferred from the SamKnows test server to your device, measured in megabits per second (Mbps).
	Upload	The speed at which information is transferred from your device to the SamKnows test server, measured in megabits per second (Mbps).
	Latency	How long it takes a data packet to go from your device to our test server and back to your device, measured in milliseconds (ms). The shorter the latency, the better.
	Latency Under Load	How long it takes a data packet to go from your device to our test server and back to your device while a download/upload test is running, measured in milliseconds (ms). The shorter the latency, the better.
	Jitter	The variation in the delay of received packets, measured in milliseconds (ms). Essentially it is a measure of the stability of latency.
	Packet Loss	Packet loss counts packets that are sent over a network and do not make it to their destination, measured as a percentage of packets lost out of all packets sent.
	Disconnection	A disconnection means that latency measurement packets were lost for 30 seconds or longer. Measured as the median of household daily rates.
	Video Conferencing	Measures round-trip latency and reachability of a selection of video conferencing services.
	Social Media	Measures round-trip latency and reachability of a selection of major social media services.
	Online Gaming	Measures performance for a number of major games and supporting services, such as game distribution platforms.
	Video Streaming	Measures the highest bitrate, and therefore quality level, you can reliably stream from real content servers.
	Webpage Loading Time	The time it takes for a specific webpage to fully load. This is a combination test that includes download, latency and DNS in one test that accurately mimics real-world usage.
	CDN Measurements	Measures download performance for the same (or very similar) object from a variety of popular Content Delivery Networks over HTTP.
	Voice over IP	Measures the suitability of a broadband connection for VoIP calls.

## Glossary

Term	Definition
ADSL	Asymmetric digital subscriber line. A broadband connection that uses existing telephone lines to send data.
Advertised speed	The speed at which broadband services are typically advertised or marketed, usually described in Mbps (megabits per second). On some networks like ADSL or Fixed Wireless, these are not given as a general maximum but vary from line to line as they do not transmit data without depreciation across distance.
Broadband	A network service or connection which is defined as “always on”, as opposed to historical dial-up internet.
Broadband speed	The speed at which data is transmitted over a broadband connection, usually measured in megabits per second (Mbps).
Disconnection	A disconnection means that latency measurement packets were lost for 30 seconds or longer.
Download speed	The speed that data travels from our test server to your router. Measured in megabits per second (Mbps); higher is better.
HFC	Hybrid Fibre-Coaxial. A broadband connection that uses coaxial cables to send data.
Fibre	A broadband connection that uses Fibre-Optic cables to send data to and from a property directly. Sometimes referred to as FTTH (Fibre-to-the-home) or FTTP (Fibre-to-the-premises).
Fixed Wireless	A broadband connection that uses radio waves to provide internet access to a premises.
Latency	The time it takes for a data packet to travel from your router to our test server and back. Measured in milliseconds (ms); lower is better.
Latency under load	The time it takes for a data packet to travel from your router to our test server and back while a download/upload speed test is running. Measured in milliseconds (ms); lower is better.
LEO Satellite	Low Earth Orbit Satellite. A broadband connection that is transmitted wirelessly using a satellite and ground based satellite dish.
Mbps	Megabits per second. A unit measuring broadband speed. Mbps is the equivalent of 1,000 kilobits per second.
Packet loss	The percentage of packets that were lost somewhere between your router and our test server. Measured as a percentage of all packets sent; lower is better.
Peak hours	The time of day when people are typically using their internet connection, defined in New Zealand as between 7pm and 11pm.
RSP	Retail Service Provider. A company that provides consumers with access to the internet.
Upload speed	The speed that data travels from your router to our test server. Measured in Mbps (megabits per second); higher is better.
VDSL	Very high speed digital subscriber line. A broadband connection that allows higher speeds than ADSL technologies.

**Table 2: All RSPs Included in MBNZ Programme**

All RSPs Included in MBNZ
2degrees, Stuff Fibre, Orcon & Slingshot
Spark (Including Skinny & Bigpipe)
One New Zealand (Including Farmside)
Starlink
Sky New Zealand
Mercury
Contact Energy
Voyager
NOW NZ
Inspire Net
Electric Kiwi
Ultimate Broadband
Wheronet
Wireless Nation
Lightwire
Netspeed
AirFibre
Full Flavour
Primo
PureLink
UniFone
Worldnet Services
Yrless
Evolution Network
Vorco

The latency results presented in Tables 3 and 4 below are different from previous reports, using a snapshot of hourly testing instead of continuous monitoring. More information on this change can be found above on [page 5](#).

### Table 3: Download, Upload and Latency Performance by Plan

Plan	SFA Area	Peak or Off-Peak	Number of Units	Average Download (Mbps)	Average Upload (Mbps)	Average Latency (ms)
ADSL	All Areas	24/7	27	10 Mbps	1 Mbps	30 ms
	All Areas	Peak	27	10 Mbps	1 Mbps	34 ms
	Non-Fibre Areas	24/7	27	10 Mbps	1 Mbps	30 ms
	Non-Fibre Areas	Peak	27	10 Mbps	1 Mbps	34 ms
VDSL	All Areas	24/7	36	48 Mbps	14 Mbps	20 ms
	All Areas	Peak	36	47 Mbps	14 Mbps	21 ms
	Non-Fibre Areas	24/7	34	48 Mbps	14 Mbps	21 ms
	Non-Fibre Areas	Peak	34	47 Mbps	14 Mbps	22 ms
LEO Satellite	Non-Fibre Areas	24/7	77	217 Mbps	32 Mbps	31 ms
	Non-Fibre Areas	Peak	77	185 Mbps	32 Mbps	32 ms
LEO Satellite (Lite)	Non-Fibre Areas	24/7	54	196 Mbps	31 Mbps	30 ms
	Non-Fibre Areas	Peak	54	154 Mbps	30 Mbps	32 ms
4G Fixed Wireless	All Areas	24/7	69	59 Mbps	18 Mbps	49 ms
	All Areas	Peak	69	42 Mbps	17 Mbps	52 ms
	Non-Fibre Areas	24/7	51	60 Mbps	17 Mbps	49 ms
	Non-Fibre Areas	Peak	51	43 Mbps	16 Mbps	52 ms
Fibre 300	Fibre Areas	24/7	338	314 Mbps	108 Mbps	7 ms
	Fibre Areas	Peak	338	313 Mbps	108 Mbps	7 ms
Fibre Max	Fibre Areas	24/7	389	879 Mbps	502 Mbps	6 ms
	Fibre Areas	Peak	389	876 Mbps	501 Mbps	6 ms



Plan	SFA Area	Peak or Off-Peak	Number of Units	Average Download (Mbps)	Average Upload (Mbps)	Average Latency (ms)
HFC	Fibre Areas	24/7	24	872 Mbps	102 Mbps	19 ms
	Fibre Areas	Peak	24	875 Mbps	103 Mbps	19 ms
Fibre 50	Fibre Areas	24/7	32	52 Mbps	12 Mbps	8 ms
	Fibre Areas	Peak	32	52 Mbps	12 Mbps	9 ms
5G Fixed Wireless	All Areas		10			
WISP Fixed Wireless	All Areas		18			

**Table 4: Fibre 300 and Fibre Max Download, Upload and Latency Summary by RSP**

Plan	RSP	Peak or Off-Peak	Number of Units	Average Download (Mbps)	Average Upload (Mbps)	Average Latency (ms)
Fibre 300	2degrees, Orcon & Slingshot	24/7	103	315 Mbps	106 Mbps	9 ms
		Peak	103	314 Mbps	106 Mbps	9 ms
	Mercury	24/7	37	302 Mbps	114 Mbps	6 ms
		Peak	37	303 Mbps	114 Mbps	6 ms
	One New Zealand	24/7	48	323 Mbps	113 Mbps	8 ms
		Peak	48	322 Mbps	113 Mbps	8 ms
	Spark	24/7	64	321 Mbps	109 Mbps	6 ms
		Peak	64	320 Mbps	109 Mbps	5 ms
Fibre Max	2degrees, Orcon & Slingshot	24/7	138	882 Mbps	498 Mbps	7 ms
		Peak	138	875 Mbps	496 Mbps	7 ms
	One New Zealand	24/7	41	911 Mbps	507 Mbps	7 ms
		Peak	41	913 Mbps	508 Mbps	7 ms
	Sky New Zealand	24/7	74	917 Mbps	520 Mbps	6 ms
		Peak	74	916 Mbps	520 Mbps	6 ms
	Spark	24/7	47	891 Mbps	515 Mbps	4 ms
		Peak	47	889 Mbps	514 Mbps	4 ms

**Table 5: Latency to Various Video Conferencing Services by RSP, Fibre Plans Only**

Video Conferencing Service	RSP	Number of Units	Average Latency
Cisco-Webex	2degrees, Orcon & Slingshot	262	46 ms
	Spark	121	45 ms
	One New Zealand	110	45 ms
	Sky New Zealand	92	44 ms
	Mercury	82	44 ms
GoToMeeting	2degrees, Orcon & Slingshot	262	158 ms
	Spark	121	155 ms
	One New Zealand	110	159 ms
	Sky New Zealand	92	158 ms
	Mercury	82	144 ms
Google-Meet	2degrees, Orcon & Slingshot	262	36 ms
	Spark	121	36 ms
	One New Zealand	110	36 ms
	Sky New Zealand	92	35 ms
	Mercury	82	35 ms
Microsoft-Teams	2degrees, Orcon & Slingshot	262	46 ms
	Spark	121	46 ms
	One New Zealand	110	43 ms
	Sky New Zealand	92	45 ms
	Mercury	82	44 ms
Skype	2degrees, Orcon & Slingshot	262	49 ms
	Spark	121	49 ms
	One New Zealand	110	47 ms
	Sky New Zealand	92	48 ms
	Mercury	82	48 ms
Zoom	2degrees, Orcon & Slingshot	262	202 ms
	Spark	121	204 ms
	One New Zealand	110	195 ms

Video Conferencing Service	RSP	Number of Units	Average Latency
	Sky New Zealand	92	202 ms
	Mercury	82	217 ms