

Measuring Broadband

New Zealand

Winter Report, August 2022

In 2018, the Commerce Commission appointed SamKnows to measure New Zealand's internet performance. The programme, called Measuring Broadband New Zealand, gives internet users in New Zealand access to the SamKnows platform to measure the quality of their fixed-line internet. The aim of the programme is to increase transparency about actual in-home broadband performance and provide consumers with independent information about internet performance across different providers, plans, and technologies, to help them choose the best broadband for their homes. It will also encourage providers to improve and compete on their performance.

This report provides an overview of the findings from data collected between 1st May and 31st May 2022.



Contents

1. Overview	3
2. Executive Summary	4
3. Package Comparison	5
4. Speed Tests - Download	7
5. Speed Tests - Upload	9
6. Latency	10
7. Fibre Max Breakdown by RSP	12
8. Distribution of Fibre Max Results	14
9. Fibre Max Breakdown by Region	15
10. Fibre 300 Breakdown by RSP	16
11. Fibre 300 Breakdown by Region	18
12. Disconnections	19
13. Latency Under Load	21
14. Online Gaming	23
15. Social Media	27
16. Netflix	28
Appendix	30
17. How we test	30
18. Our tests	31
19. Glossary	32

Overview

This report presents the most recent key indicators of consumer internet performance in New Zealand from testing during May 2022.

Highlights include:

1. Continued monitoring of the largest providers and plans.
2. Monitoring of latency under load as well as 13 popular video game latencies.

The last report (https://comcom.govt.nz/data/assets/pdf_file/0022/285223/MBNZ-Autumn-2022-report-10-June-2022.pdf), published on 10th June 2022, presented an analysis of latency under load on top of continuing to benchmark performance for all the main RSPs and Fibre plans.

Previous reports in this series have examined topics including internet performance during online broadcasts of the Rugby World Cup 2020, internet performance following New Zealand's Level 4 Alert in response to COVID-19, and how many people in a household can watch Netflix at the same time.

Other reports released by the Measuring Broadband New Zealand (MBNZ) programme can be found here: <https://comcom.govt.nz/regulated-industries/telecommunications/monitoring-the-telecommunications-market/monitoring-new-zealands-broadband/Reports-from-Measuring-Broadband-New-Zealand>

The MBNZ project has a code of conduct, the purpose of which is to ensure that parties involved in the MBNZ programme act in good faith and in accordance with principles relating to data validation, 'gaming' of results, and appropriate public usage of the MBNZ results. A list of signatories is included in the code, including the Commission and SamKnows. All tested RSPs complied with the code of conduct, including validation of data for this report. You can see the code of conduct on our website: <https://comcom.govt.nz/regulated-industries/telecommunications/monitoring-the-telecommunications-market/monitoring-new-zealands-broadband>

The MBNZ programme currently tests eight RSPs (Trustpower, Orcon, Slingshot, MyRepublic, Skinny, 2degrees, Vodafone and Spark) who between them provide broadband services for 95% of the market and pay towards the Telecommunications Development Levy (TDL). There are a range of other RSPs who are not included in the testing for consumers to choose from and we encourage Kiwis to shop around.

Executive Summary

Benchmarking

1. All main download/upload results are stable against the previous reporting period.
2. MyRepublic have seen an increase in average download speeds for Fibre Max plans compared to the previous report, increasing by around 27% during peak hours.
3. Latency under load testing continues to show that ADSL and Fixed Wireless plans both see a large increase latency when the line is in use, especially under upstream load. Fibre plans are less impacted, with Fibre Max showing only a very small increase in latency compared to idle latency values.

Application Performance

1. Over 99% of Fibre 300, Fibre Max and HFC Max plans were all able to stream 4 simultaneous UHD Netflix streams. Only 39% of households on ADSL plans were able to stream 1 UHD Netflix stream.
2. Snapchat Image latencies have improved compared to the previous report. All other social media latencies remain consistent with those measured in March.
3. Online Gaming results are broadly consistent for all of the 13 games included in the previous report. This report also sees the addition of an RSP split for Online Gaming results which shows that there can be big differences in latency values across RSPs for Fibre plans.
4. Video Conferencing results were consistent with those seen in previous reports. Video Conferencing performance charts have been omitted from this report.

Package Comparison

ADSL

Remains suitable for traditional services like web browsing, email, and basic video streaming, particularly when there's only one person using the connection. Due to physical limitations, the highest-performing ADSL lines will never achieve download speeds higher than ~25 Mbps. The distance from house to exchange has a big effect on attainable speeds, with most ADSL lines in New Zealand averaging under 8 Mbps download. The higher latency, more frequent dropouts, and lower upload speeds make ADSL less suitable for video calls and multi-user households.

VDSL

There is a range in performance: some lines will achieve download/upload speeds indistinguishable from ADSL, whereas a small proportion of lines will achieve speeds comparable with Fibre 100, and certainly with lower speed Fibre plans. Lower speed lines will be less suitable for applications that use a lot of data, such as video conferencing and Ultra High Definition streaming, whereas higher speed lines will generally support more data-heavy applications.

Fibre 300

Supports latency-sensitive applications such as online gaming. Fibre 300 will also support data-heavy applications such as Ultra High Definition streaming with multiple concurrent users or video conferences with a large number of participants. Fibre 300 will cover most users' requirements.

Fibre Max¹

Higher download and upload speeds than Fibre 300. The latency to internet applications, such as online games, through a Fibre Max line is the same as through any other Fibre package. Performance varies depending on RSP. Fibre 300 will support all modern internet applications and multi-user households, so Fibre Max is still only recommended in cases where there is a genuine need for more bandwidth e.g. frequently uploading or downloading large files.

Cable

Available in some areas (Wellington, Upper & Lower Hutt, the Kapiti Coast, and parts of Christchurch). Cable is also referred to as HFC and DOCSIS. Vodafone is the only provider operating a Cable network in New Zealand. Two plans are available: UltraFast HFC Max and UltraFast HFC 200. Due to the limited coverage of the Cable network, MBNZ doesn't collect enough data to formally report on the performance of the UltraFast HFC 200 plan.

¹ All references to Fibre Max in this report encompass packages derived from 'gigabit' wholesale products, in particular: 2degrees' Ultimate, MyRepublic's Fibre Pro/Gamer Pro, Orcon and Slingshot's Gigantic Fibre, Spark's Fibre Max, Trustpower's Fibre Max, and Vodafone's Fibre Max packages.

Fixed Wireless (4G)

Can offer higher download speeds than ADSL, but on average slower speeds than VDSL. Users also experience higher latencies due to the cellular technology underlying these plans. Fixed Wireless has the highest latency of all technologies apart from Satellite (not currently reported on by MBNZ). Fixed Wireless also delivers lower download/upload speeds and more frequent dropouts than Fibre. This range of performance factors means that Fixed Wireless should not be preferred to Fibre on performance grounds however often Fixed Wireless is the only option for consumers in remote areas. 5G Fixed Wireless plans (not currently reported on by MBNZ) are at present only available in limited areas, but would offer higher bandwidth than existing 4G plans. MBNZ doesn't collect enough data to formally report on the performance of 5G Fixed Wireless plans.

Other packages

There are other packages available, such as Fibre 30, Fibre 50, Fibre 100, Fibre 200, HFC 200, and satellite packages. Since Measuring Broadband New Zealand collects less data on these packages it is not possible to give any firm advice around their suitability for different applications at this stage.


Speed Tests - Download

Figures 1 and 2 give an overview of download and upload speed across the country. These are included in every report in order to provide a benchmark that can be tracked over time.

Peak hours are the times when people typically use the internet; in New Zealand this is 7pm to 11pm on Monday-Friday.

Figure 1
Average Download Speeds by Plan

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm. Error bars show 95% confidence intervals of the mean.



These results are shown with error bars representing the 95% confidence interval for each plan's average speed. If we had repeated our measurements 100 times, we would expect average speeds to have fallen within the black bands in at least 95 cases. Other graphs throughout the report display similar confidence intervals, which carry the same interpretation.

Key Observations

- Both Fibre 300 and Fibre Max plans have seen consistent performance in May compared to the Autumn report, for both 24/7 and peak time speeds.
- From March to December, HFC Max average download speeds have seen a small increase compared to the previous report, with average download speeds at around 838 Mbps, an increase of 31 Mbps. Average download speeds for peak times have also improved from 805 Mbps in the previous report to 838.2 Mbps.²
- Fixed Wireless plans have seen small decreases in download speed compared to the previous report. These changes are unlikely to be noticeable for the majority of consumers. ADSL and VDSL speeds have increased marginally but these also are unlikely to be noticeable.


² Results for HFC Max are based on a sample size of 27 Whiteboxes. This accounts for the wider confidence intervals for HFC Max results. Since 27 is lower than the usual minimum used in reporting, we should caveat that the results may not be representative of all HFC Max connections. The low sample size can be attributed to the relatively small coverage area of Vodafone's Cable network and the competing influence of Copper, Fibre and Fixed Wireless in those areas.

Speed Tests - Upload

Upload speeds should be considered alongside download speeds. The main applications where the impact of upload speed is apparent are file transfers and video conferencing. For example, a lower upload speed will mean that it takes longer for files to sync or email attachments to be applied.

Figure 2
Average Upload Speeds by Plan

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm. Error bars show 95% confidence intervals of the mean.



Key Observations


- The average upload speeds are consistent with those seen in the previous report for all plans.

Latency

Latency is another key factor that should be considered when assessing broadband performance. The time it takes to transmit and receive messages between households and servers limits the responsiveness of realtime applications such as interactive webpages or video calls. Higher baseline latency makes realtime applications more vulnerable to jitter (also known as packet delay variation) and dropouts. Figure 3 only includes results relating to servers hosted in New Zealand.

Figure 3
Average Latency to Test Servers by Plan. Lower is better.

*Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.
Error bars show 95% confidence intervals of the mean.*



Some plans show a wider variation of latency than others: latency across a Fixed Wireless connection will generally be more variable than over a Fibre line. These ranges have been reported explicitly in previous reports.

Key Observations

- Latency over Fixed Wireless is higher than over Copper (ADSL VDSL), Cable, or Fibre. Fibre is faster due to both the lower latency over fibre optics and the more recent infrastructure that underpins the Fibre network.
- Cable connections have a higher latency than Fibre on average.
- The impact of latency on user experience relating to specific applications is investigated elsewhere in the report.
- There is no material difference in latency across different Fibre plans, since latency is independent of bandwidth. A Fibre Max plan will not necessarily result in more responsive performance of interactive applications than a Fibre 300 plan.
- HFC Max plans have seen a decrease in latency values compared to the Autumn Report. Latency values have now returned to those seen in September.³
- The average latency values across all other plans are consistent with those seen in the previous report.


³ The increase in latency for HFC Max panelists seen in the previous Summer and Autumn reports was due to Vodafone implementing temporary network changes as part of ongoing efforts to improve throughput performance. Traffic is now routed back through Wellington, which has caused the reduction in latency

Fibre Max Breakdown by RSP

Fibre Max plans are derived from 'gigabit' wholesale products but, since around 6% of the data in HTTP traffic is given over to protocol overhead (IP packet headers etc.), the highest speed test result that can theoretically be achieved by a Fibre Max line is around 940 Mbps.

Figure 4
Average Fibre Max Download Speed by RSP

*Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.
Error bars show 95% confidence intervals of the mean.*




Key Observations

- For 2degrees, Orcon + Slingshot and Spark, the results are broadly in line with those seen in the previous report, with these RSP's seeing a small decrease in average download speeds.
- For Vodafone, the results are also broadly in line with those seen in the previous report, with Vodafone seeing a small increase in average download speeds.
- For MyRepublic, average download speeds have increased from 738 Mbps in March to 820 Mbps in May. Average download speeds during peak hours have seen a larger increase of around 173 Mbps compared to the Autumn Report, increasing from 649 Mbps in March to 822 Mbps in May.
- There were not enough Fibre Max volunteers connected to Trustpower during the measurement period to report results for that RSP. All RSPs are included in the overall Fibre Max results shown in Figures 1—3.

Distribution of Fibre Max Results

Figure 5
Download speeds on Fibre Max plans.

Distribution of test results. Advertised average download speeds for Fibre Max plans range between 700Mbps and 950Mbps; this varies by RSP and over time.




Key Observations

- 75% of speed tests run over Fibre Max lines achieve download speeds above 900 Mbps, in line with the percentage seen in the previous report.
- Within the range of test results, 88% of tested Fibre Max households had an average download speed higher than 800 Mbps, in line with the previous report.

Fibre Max Breakdown by Region

Figure 6
Average Fibre Max Download Speed by Region

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm.
Error bars show 95% confidence intervals of the mean.




Key Observations

- There remains a small difference in performance between the two main islands, as has been noted in previous reports, but the difference is at a level which is unlikely to be noticed by end users. Wellington and South Island Urban have both seen small decreases in average download speeds compared to the previous report.
- Peak speeds in Auckland have increased compared to the previous report, from 818 Mbps to 869 Mbps in May.

Fibre 300 Breakdown by RSP

The speeds under which Fibre 300 is advertised to consumers are 300 Mbps download and 100 Mbps upload. In practice, since the provisioned speed is set slightly higher to allow for extra bandwidth used up by network protocol overhead, it's quite common to see measured speeds close to or slightly above 300 Mbps.

Figure 7
Comparison of average Fibre 300 download speeds across RSPs.
Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm. Error bars show 95% confidence intervals of the mean.



Key Observations

- 2degrees has seen a small increase in speeds since the Autumn Report. Aside from this, all other RSPs included in the Summer report continued to perform consistently in March. All RSPs shown in the chart achieved average download speeds above 300 Mbps including during peak hours.
- There were not enough volunteers connected to Orcon + Slingshot to report results in the previous report. Their average download speeds in May are in line with other RSPs.⁴
- There were not enough volunteers connected to MyRepublic or Trustpower to report results. All RSPs are included in the overall Fibre 300 results shown in Figures 1—3.


⁴ Orcon + Slingshot results are based on a sample size of 38 whiteboxes

Fibre 300 Breakdown by Region

Figure 8

Comparison of average Fibre 300 download speeds across different parts of New Zealand.

Average of monthly household averages. Peak hours are Monday - Friday, 7pm - 11pm. Error bars show 95% confidence intervals of the mean.



Key Observations

- All urban areas of New Zealand that we can provide results for see comparable download speeds through Fibre 300 plans, which are in line with the 300 Mbps headline download speed.⁵

⁵ Testing is carried out across the country but results can only be provided for regions with a sufficient sample of Whiteboxes.

Disconnections

Realtime applications like video calls rely on a persistent connection between the home router and the target server. If the connection drops, even for a few seconds, the application will exhibit some form of stuttering. In the worst instance, a user might be disconnected and have to reconnect or wait for their broadband connection to come back online.


A brief disconnection very rarely means that, for example a physical cable has been cut; the main reasons for network dropouts relate to congestion and the configuration of network equipment.

Many common applications, such as video conferencing applications or online gaming used by New Zealanders are served from overseas, mainly Australia, East Asia, and the USA. All New Zealand RSPs share capacity through the limited set of undersea cables which carry traffic across the Tasman Sea and the Pacific.

The following graph compares outage rates across plans.

Figure 9
Median hourly disconnection rates. Lower is better.

Medians of household hourly rates. A disconnection means that two or more packets in a row don't complete a full round trip. Testing only covers periods where the line is idle.



This graph shows medians across households. Taking Fixed Wireless as an example 50% of households will experience no more than 0.06 outages per hour for traffic remaining within New Zealand. This obscures the extremes of performance for each plan: while the median ADSL and Fixed wireless results are comparable, ADSL connections are more likely than others to have outage rates far above the median, whereas Fixed Wireless plans are more likely to

have results close to the median. Disconnections vary by hour of the day, so the likelihood of 0.06 disconnection per hour when connected to a New Zealand server will not be consistent throughout all hours of the day.

The results for disconnections have increased for some technologies when compared to the previous report, specifically ADSL and VDSL. Fixed Wireless connections have seen the median disconnections fall compared to the previous report. In spite of these changes, the level of outages is still at a level whereby user experience will not be unduly affected.

Key Observations

- Most households see a very low rate of disconnections, at least while the line is idle.
- Most ADSL connections experience a higher rate of disconnections than most VDSL, Fixed Wireless, Fibre, and Cable connections. Disconnections for Fibre plans remain low.
- Traffic going overseas is more likely to be lost than traffic remaining within New Zealand. Disconnections have increased this report for all technologies for traffic testing to the United States however these are not likely to notably impact user experience.


Latency Under Load

The Latency Under Load test measures the latency whilst the broadband connection is heavily utilised (by the way of a speed test run in parallel). This is more representative of user experience than idle latency as it shows the impact of downloading or uploading data to the internet (e.g. watching Netflix or uploading a file) on latency (e.g. how long a webpage takes to load). The results are particularly illustrative of real-world experience for people who are using latency sensitive applications like video conferencing.

The graph shows latency values while the connection is idle, compared with latency values while the connection under either downstream or upstream load. The latency under load test is performed while the download (or upload) speed tests are running, and this is compared to the idle latency measurement which is calculated when the line is idle. Differences in access technology and router models will result in different results for the user.

Figure 10
Average Latency Under Load to Test Servers by Plan. Lower is better.

Averages of monthly household averages



Key Observations


- All plans see latency increase when the line is running upload or download tests compared to when the line is idle.
- ADSL and Fixed Wireless plans see a large increase in latency under load while both download and upload tests are running. VDSL shows a high latency when upload tests are running. These latency values are high enough to be noticeable to the user if multiple devices are used simultaneously, with one device heavily using the connection.
- Latency under downstream and upstream load is higher for the Fibre 300 package compared to Fibre Max results. Both Fibre packages have lower latency results for idle latency and latency under downstream and upstream load than HFC Max.
- Fibre 300 performance has been impacted particularly by two RSPs. SamKnows is engaging with Industry to investigate the cause of the issue.
- The impacts of latency on specific application performance are discussed elsewhere in the report (Social Media, Online Games, Netflix).
- It is expected that the router model will be a factor in any latency rise, as the test is measuring what is known as “bufferbloat”, which is where the router or other network devices on the path are buffering large amounts of data. As such, differences in technology and router models will result in different results for the user.

Online Gaming

Online gaming applications require low latency between users' machines and the central host server. If it takes a long time to pass messages between client and server then disruptive stuttering or lag will result.

Figure 11
The latency to various online gaming servers. Lower is better.

*Average of household average latency to gaming servers.
 Lower latency means that lag is less likely.*



Key Observations

- All the games included in the previous report saw broadly consistent performance with the previous results.
- Among Us, Hearthstone, Heroes of the Storm and Starcraft all tested to servers in North America while Overwatch tested to servers located in Asia. These games show higher average latencies across all technologies than the remaining games which tested to servers located in Australia.
- Fibre plans had the lowest latency to each game's servers on average. ADSL, VDSL, and Fixed Wireless plans are more likely to experience high latency and lag due to the variability of performance.
- Diablo III, and World of Warcraft are not included in this report due to a change in server hosting made by the publisher during the reporting period. These games will be included in future reports.
- Online gaming will start to stutter and lag when latency increases beyond 50 or 100ms – some game servers will simply refuse to admit players who have triple-figure latency because this will ruin the game for everyone else. Games with servers located in North America and Asia saw latency values above 100ms for all technologies.

Figure 12

The latency to various online gaming servers by RSP. Lower is better.

Average of household average latency to gaming servers. Fibre Plans Only.
Lower latency means that lag is less likely.




Key Observations

- Among Us, Hearthstone, Heroes of the Storm and Starcraft all tested to servers in North America while Overwatch tested to servers located in Asia. These games show higher average latencies across all technologies than the remaining games which tested to servers located in Australia.
- Latency for 2degrees was higher for Hearthstone, Heroes of the Storm and Starcraft which tested to servers in North America than for any other RSPs.
- For games testing to Asia and Australia, average latencies were very similar across all RSPs.

Social Media

Social media applications generally involve fetching a large number of relatively small pieces of information (single images, short pieces of text, and so on). Applications such as Facebook serve different types of content from different servers - for example an image will come from one server while its caption will come from a different server. Due to this, latency to the server will be a large determinant of how responsive social media applications will be, however there are other factors that can determine performance.

Figure 13
The latency to servers of different social media platforms.
Average of household average latency to content servers. Fibre plans only.



Key Observations

- Latencies have fallen for Snapchat Downlink Text, from an average of 470 ms in March to 452 ms in May for Fibre plans. Snapchat latencies remain higher than all other social media platforms tested for both Image and Text downlink.


Netflix

Video streaming is a good example of an application in which the quality of a user’s experience is more affected by bandwidth than by latency. Since higher quality video takes up more data than lower resolution video, higher bandwidth plans such as Fibre 300, HFC Max and Fibre Max are able to reliably stream from Netflix in Ultra High Definition more of the time.

In 2021, Netflix introduced a change to the way its high definition and 4K video is encoded. Video is now delivered at a variable bitrate depending on the complexity of the video being transmitted. This means that a program with fewer colours and less movement, like a cartoon, will be encoded at a lower bitrate than a fast-paced action film. In practical terms, if 4K video was encoded at 15.6 Mbps previously, it would now be transmitted at no more than 12 Mbps as a worst case. This has little effect on higher speed Fibre plans, but does mean that a number of households on Copper and Fixed Wireless plans will be more likely to be able to watch an Ultra High Definition video, or even support multiple streams running simultaneously since the change was implemented.

Figure 14
The proportion of households able to stream 1, 2, 3 or 4 simultaneous Ultra High Definition videos from Netflix.

Based on the average download speed to Netflix servers for each household. Error bars show 95% confidence intervals.



Key Observations

- 99% of households on Fibre 300, Fibre Max or HFC Max plans were able to stream 4 simultaneous UHD Netflix.
- 84% of households on Fixed Wireless and over 90% of households on VDSL plans were able to stream a single UHD stream. Only 31% of households on ADSL plans were able to stream UHD.

How we test



Measuring home broadband across New Zealand

- The SamKnows Whitebox is a purpose-built testing agent that connects to your router.
- Measures every aspect of the internet service delivered to your home.
- Runs at regular intervals while you're not using the internet.

SamKnows One Analytics

- View all your data in one place.
- Create customised charts and save the results that mean the most to you.
- Track changes in your connection over time.

Sign up

Please participate by volunteering to receive a Whitebox. The more volunteers we have, the more information we can provide to consumers in New Zealand in future reports. <https://www.measuringbroadbandnewzealand.com/sign-up>

Our tests

	Test	Definition
	Download	The speed at which data can be transferred from the SamKnows test server to your device, measured in megabits per second (Mbps).
	Upload	The speed at which information is transferred from your device to the SamKnows test server, measured in megabits per second (Mbps).
	Latency	How long it takes a data packet to go from your device to our test server and back to your device, measured in milliseconds (ms). The shorter the latency, the better.
	Latency Under Load	How long it takes a data packet to go from your device to our test server and back to your device while a download/upload test is running, measured in milliseconds (ms). The shorter the latency, the better.
	Jitter	The variation in the delay of received packets, measured in milliseconds (ms). Essentially it is a measure of the stability of latency.
	Packet Loss	Packet loss counts packets that are sent over a network and don't make it to their destination, measured as a percentage of packets lost out of all packets sent.
	Disconnection	A disconnection means that two or more latency measurement packets in a row were lost. Measured as the median of household hourly rates.
	Video Conferencing	Measures round-trip latency and reachability of a selection of video conferencing services.
	Social Media	Measures round-trip latency and reachability of a selection of major social media services.
	Online Gaming	Measures performance for a number of major games and supporting services, such as game distribution platforms.
	Video Streaming	Measures the highest bitrate, and therefore quality level, you can reliably stream from real content servers.
	Webpage Loading Time	The time it takes for a specific webpage to fully load. This is a combination test that includes download, latency and DNS in one test that accurately mimics real-world usage.
	CDN Measurements	Measures download performance for the same (or very similar) object from a variety of popular Content Delivery Networks over HTTP.
	Voice over IP	Measures the suitability of a broadband connection for VoIP calls.

Glossary

Term	Definition
ADSL	Asymmetric digital subscriber line. A broadband connection that uses existing telephone lines to send data.
Advertised speed	The speed at which broadband services are typically advertised or marketed, usually described in Mbps (megabits per second). On some networks like ADSL or Fixed Wireless, these are not given as a general maximum but vary from line to line as they do not transmit data without depreciation across distance.
Broadband	A network service or connection which is defined as “always on”, as opposed to historical dial-up internet.
Broadband speed	The speed at which data is transmitted over a broadband connection, usually measured in megabits per second (Mbps).
Disconnection	A disconnection means that two or more latency measurement packets in a row were lost, resulting in stuttering broadband performance.
Download speed	The speed that data travels from our test server to your router. Measured in megabits per second (Mbps); higher is better.
Fibre	A broadband connection that uses fibre-optic cables to send data to and from a property directly. Sometimes referred to as FTTH (Fibre-to-the-home) or FTTP (Fibre-to-the- premises).
Fixed Wireless	A broadband connection that uses radio waves to provide internet access to a premises.
VDSL	Very high speed digital subscriber line. A broadband connection that allows higher speeds than ADSL technologies.
RSP	Retail Service Provider. A company that provides consumers with access to the internet.
Latency	The time it takes for a data packet to travel from your router to our test server and back. Measured in milliseconds (ms); lower is better.
Latency under load	The time it takes for a data packet to travel from your router to our test server and back while a download/upload speed test is running. Measured in milliseconds (ms); lower is better.
Mbps	Megabits per second. A unit measuring broadband speed. Mbps is the equivalent of 1,000 kilobits per second.
Packet loss	The percentage of packets that were lost somewhere between your router and our test server. Measured as a percentage of all packets sent; lower is better.
Peak hours	The time of day when people are typically using their internet connection, defined in New Zealand as between 7pm and 11pm.
Upload speed	The speed that data travels from your router to our test server. Measured in Mbps (megabits per second); higher is better.